## > TORNAX

# Efficiency, pure and simple





Cleans the pool floor (RT 2100)



Cleans floor and walls (RT 3200)



Light for effortless handling



Easy-to-clean filter

	RT 2100	RT 3200	
TECHNICAL SPECIFICATIONS			
Cleaning areas	Floor only	Floor / Walls	
Types of pools	8 x 4 m 14m cable	9 x 4 m 16,5m cable	
	Liner, polyester hull, reinforced PVC, painted concrete, Tiles (dedicated brushes)	Liner, polyester hull, reinforced PVC, painted concrete, Tiles (dedicated brushes)	
	Rectangular, oval, free shape	Rectangular, oval, free shape	
	3L	3L	
Filter	Rigid Filter canister with access over the cleaner	Rigid Filter canister with access over the cleaner	
	Opaque window	Transparent window	
	Filter canister 100μ	Filter canister 100μ	
Weight (without cable)	5,5 kg	5,5 kg	
Weight (when removing from water)	13 kg	13 kg	
Length of cleaning cycles	1 cycle / 2h	1 cycle / 2h30	
Warranty	2 years	2 years	
Transport cart	Optional	Optional	

 $<sup>\</sup>ensuremath{^{\star}}\xspace$  With specific brushes for optimal operation in certain tiled pools.

Pool Cleaners > Electrics > RT 2100 TORNAX PRO

### EFFICIENCY, PURE AND SIMPLE

- + Efficient floor cleaning
- + Lightweight for effortless handling
- + Easy clean filter



Product offered for sale on the «pool dealer» channel

#### PRODUCT REFERENCE

Product reference: WR000092

#### **ACCESSORIES INCLUDED IN THE PACK**







Control box

Fine Filter canister 100µ

Control box base

FOR WHICH TYPE OF POOLS?	
Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 8 x 4 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope
Pool surfaces	Liner, polyester hull, reinforced PVC, painted concrete, Tiles *

DESCRIPTION			
Cleaning areas	Floor		
Number / Length of cleaning cycles	1 cycle - Floor : 2h		
Power supply	Autonomous, connected to 230V mains supply before the transformer		
Steering	Pre-programmed		
Drive system	Tracks		
Transmission	Gear transmission		
Brushes	Yes		
Safety	Deck system, out of water safety, diagnostic, electronic motor protector		
Filtration system / access	Rigid Filter canister with access over the cleaner		
Units / pallet	36		

TECHNICAL SPECIFICATIONS			
Number of motors	2		
Control box supply	100-240 VAC ; 50 / 60 Hz		
Power supply	30 VDC		
Operating power	100 W		
Cable length	14 m		
Cleaner size (L x W x h)	37 x 29 x 30 cm		
Packaging size (L x W x h)	56 x 37 x 38 cm		
Cleaner weight	5,5 kg		
Packaging weight	10 kg		
Filtering surface and level	480 cm <sup>2</sup> / 100μ		
Filtering capacity	3 L		
Theoretical cleaning width	17 cm		



Spare parts p.196

#### OPTIONAL ACCESSORIES (NOT INCLUDED)

		A CO	A C		
	Ultra-fine filter canister 60µ	Fine filter canister 100µ	Large debris filter canister 200µ	Trolley	Special tile brush (unit)
Reference	R0763100	R0762900	R0763000	R0767600	R0774900

<sup>\*</sup>For optimal cleaner behavior in some tile pools, it might be necessary to use the specific tile brush accessory.



Pool Cleaners > Electrics > RT 3200 TORNAX PRO

#### EFFICIENCY, PURE AND SIMPLE

- + Efficient floor and walls cleaning
- + Lightweight for effortless handling
- + Easy clean filter



Product offered for sale on the «pool dealer» channel

#### PRODUCT REFERENCE

Product reference: WR000093

#### **ACCESSORIES INCLUDED IN THE PACK**







Control box

Fine Filter canister 100µ

Control box base

FOR WHICH TYPE OF POOLS?		
Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 9 x 4 m	
Pool shapes	Rectangular, oval, free shape	
All Floors	Flat, gentle slope, composite slope	
Pool surfaces	Liner, polyester hull, reinforced PVC, painted concrete, Tiles *	

DESCRIPTION			
Cleaning areas	Floor / walls		
Number / Length of cleaning cycles	1 cycle - Floor / walls : 2h30		
Power supply	Autonomous, connected to 230V mains supply before the transformer		
Steering	Pre-programmed		
Drive system	Tracks		
Transmission	Gear transmission		
Brushes	Yes		
Safety	Deck system, out of water safety, diagnostic, electronic motor protector		
Filtration system / access	Rigid Filter canister with access over the cleaner		
Units / pallet	36		

TECHNICAL SPECIFICATIONS		
Number of motors	2	
Control box supply	100-240 VAC ; 50 / 60 Hz	
Power supply	30 VDC	
Operating power	100 W	
Cable length	16,5m	
Cleaner size (L x W x h)	37 x 29 x 30 cm	
Packaging size (L x W x h)	56 x 37 x 38 cm	
Cleaner weight	5,5 kg	
Packaging weight	11 kg	
Filtering surface and level	480 cm <sup>2</sup> / 100μ	
Filtering capacity	3 L	
Theoretical cleaning width	17 cm	



Spare parts p.196

#### OPTIONAL ACCESSORIES (NOT INCLUDED)

	A CO	A CO		2	
	Ultra-fine filter canister 60µ	Fine filter canister 100µ	Large debris filter canister 200µ	Trolley	Special tile brush (unit)
Reference	R0763100	R0762900	R0763000	R0767600	R0774900
ex VAT Price	38,33 €	38,33 €	38,33 €	98,33 €	30,35 €

<sup>\*</sup>For optimal cleaner behavior in some tile pools, it might be necessary to use the specific tile brush accessory.

